

Operator name and signature: RU _____

Output:	1493 lm
Peak:	620 cd
Lux@50cm:	2480 Lux
Power:	16,2 W
Power Factor / DF	0,6
Standby power	0,35 W

According to regulation (EU) 2019/2015

Directionality:	Directional
Useful Lumen:	1430 lm
η_{TM} - Efficacy	104 lm/W
Energy Class:	F

Light efficacy:

92 Lumen/Watt

Light quality:

CRI: 81,6

Color temperature:

5979 K






Product name:
Multilight T1 Handle and Nova

Item number:
03.5694C

Date and time:
30-06-2022 15:16:29

Description:
Standby Power: 0,35W
Sensor distance: 250cm
Warmup: <2% in 15 minutes
Power Supply: CAS PSU


Spectra



BEAM DETAILS

Beam distance: 49,8 meters

Distance (meter)	1 m	2 m	3 m	4 m	5 m
Distance (feet)	3,3 ft	6,6 ft	9,8 ft	13,1 ft	16,4 ft



*measured at center of beam

Beam width (meter)	2,8 m	5,6 m	8,4 m	11,2 m	14 m
Beam width (feet)	9,3 ft	18,5 ft	27,5 ft	36,8 ft	46,1 ft

Beam intensities from 1-20m


1m	2m	3m	4m	5m	6m	7m	8m	9m	10m	11m	12m	13m	14m	15m	16m	17m	18m	19m	20m
3,3ft	6,6ft	9,8ft	13,1ft	16,4ft	19,7ft	23ft	26,2ft	29,5ft	32,8ft	36,1ft	39,4ft	42,7ft	45,9ft	49,2ft	52,5ft	55,8ft	59,1ft	62,3ft	65,6ft
619lx	155lx	69lx	39lx	25lx	17lx	13lx	10lx	8lx	6lx	5lx	4lx	4lx	3lx	3lx	2lx	2lx	2lx	2lx	2lx
57,5fcd	14,4fcd	6,4fcd	3,6fcd	2,3fcd	1,6fcd	1,2fcd	0,9fcd	0,7fcd	0,6fcd	0,5fcd	0,4fcd	0,3fcd	0,3fcd	0,3fcd	0,2fcd	0,2fcd	0,2fcd	0,2fcd	0,1fcd

FLICKER DETAILS


Flicker curve (complete sampled flicker signal)



Flicker frame (frame of one flicker period)




Flicker frequency:	10,57 Hz
Flicker index:	0
Flicker percentage:	0,04 %
SVM: (Visual flicker)	0
Pst LM:	0,08
SDCM	n/a
Rated Color Temperature	5979 K
Duv	0,0019
CIE Coordinates (x, y)	0,322, 0,335
CIE Coordinates (u, v)	0,202, 0,315




Flicker IEEE 1789

WARMUP DETAILS according to EN 13032-1



Temperatures



Channel	Temperature [°C]
Ambient temperature average	28,50
Back of Head Max	49,08
Front of Head Max	49,13
- Max	-

Channel	Δt	t@40°C
Back of Head	20,58	60,58
Front of Head	20,62	60,62
-	-	-