

NOVA-EX

03.5619 / Certificates

NOVA-EX is approved and certified by TÜV SÜD according to the ATEX Directive no. 2014/34/EU effective from April 2016 and according to IECEx.



ATEX certificate



[13]

SCHEDULE



Italia

[14]

EU-TYPE EXAMINATION CERTIFICATE
No. TÜV IT 16 ATEX 082 X Rev.1

Certificate History

Revision:	Description:	Report rev.:	Issue Date:
-	First issued	-	04/04/2017
1	<ul style="list-style-type: none"> - Change LED module - Modification of LED driver circuit - Change model name - Change power rating - Change T rating - Remove "op is" rating - Standard version upgrade 	1	20/11/2020

[15] Description of equipment

The explosion-proof light is composed of a light body, a back cover, an adjustable stand, a high boron silicon tempered glass lens, a pressing cover, an explosion proof switch assembly, a power control assembly, an LED, terminals. Explosion-proof type is Ex db eb mb IIC T6 Gb/ Ex tb IIIC T85°C Db. The LED part and the switch assembly are protected by individual flameproof enclosures. The tempered glass and the shell are bonded by a bonding joint surface which width is more than 10mm. The power control assembly is encapsulated. The increased safety chamber is installed with a pre-certified terminal block and an encapsulated power control assembly. Lower case provided with cable entry, the user connection through the compression nut, retaining rings, seals cable entry into the interior of the apparatus, is applied by the compression nut 25N / M torque tightening.

Rated characteristics

Enclosure material	: Aluminum alloy
Ambient temperature	: -20 °C ≤ Tamb ≤ 45 °C
Protection degree	: IP65 (according to EN IEC 60079-0)
Rated voltage	: 100-240V 50/60Hz
Rated power	: 35W

Warning label

DO NOT OPEN WHEN AN EXPLOSIVE ATMOSPHERE IS PRESENT!

[16] Report no. R 16 EX 063 Rev. 1

This certificate may only be reproduced in its entirety and without any change, schedule included.

page 2 of 3

PEX-01-NO02_05 del 07/08/2018

[13]

SCHEDULE



[14]

EU-TYPE EXAMINATION CERTIFICATE No. TÜV IT 16 ATEX 082 X Rev.1

Routine tests

- 1500V a.c. between the terminals and housing maintained for 1min at least without dielectric breakdown occurring.
- Visual inspection according to clause 9.1 of IEC 60079-18:2014

[17] **Special conditions for safe use**

- Flameproof joints are not intended to be repaired.
- The ambient temperature range is from -20°C to +45°C.

[18] **Essential Health and Safety Requirements**

Assured by compliance with the standards set out in the [9].

[19] **Drawings and Documents**

Listed documents

Title:	Description:	Pag.	Rev:	Date:
/	Manufacturer's Declaration Of Conformity	1	/	/
20102270	Product Drawing	49	1.0	24/08/2020
20102270	BOM	1	1.0	06/11/2020
10808900A	Schematic drawing	1	1.0	26/08/2020
10808900A	PCB layout	6	1.0	26/08/2020
11323410A	User manual	9	1.0	09/07/2020

One copy of all documents is kept in TÜV Italia files.

This certificate may only be reproduced in its entirety and without any change, schedule included.

page 3 of 3

PEX-01-ND02_005 del 07/08/2018

IECEX certificate





IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEx TPS 17.0002X** Page 1 of 5 Certificate history:
Status: **Current** Issue No: 1 Issue 0 (2017-03-15)
Date of Issue: 2020-11-19
Applicant: **Scangrip A/S**
Rytterhaven 9 5700 Svendborg
Denmark
Equipment: **AC work light/model NOVA-EX 03.5619**
Optional accessory:
Type of Protection: **Flameproof enclosure "db", increased safety "eb", encapsulation "mb", dust protection by enclosure "tb"**
Marking: **Ex db eb mb IIC T6 Gb**
Ex tb IIC T85°C Db

Approved for issue on behalf of the IECEx
Certification Body:

Frank Zhu

Position:

Technical Certifier

Signature:
(for printed version)

Date:

2020-11-19

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

TÜV SÜD Product Service GmbH
Rüdlerstr. 65
D-80339 Munich
Germany





IECEx Certificate of Conformity

Certificate No.: **IECEx TPS 17.0002X**

Page 2 of 5

Date of issue: 2020-11-19

Issue No: 1

Manufacturer: **Scangrip A/S**
Rytterhaven 9 5700 Svendborg
Denmark

Additional
manufacturing
locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements
Edition:7.0

IEC 60079-1:2014-06 Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"
Edition:7.0

IEC 60079-18:2017 Explosive atmospheres - Part 18: Protection by encapsulation "m"
Edition:4.1

IEC 60079-31:2013 Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "T"
Edition:2

IEC 60079-7:2017 Explosive atmospheres - Part 7: Equipment protection by increased safety "e"
Edition:5.1

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Reports:

DE/TPS/ExTR20.0034/00

GB/CML/ExTR17.0058/00

Quality Assessment Reports:

DE/TPS/QAR17.0004/00

DE/TPS/QAR17.0004/01

DE/TPS/QAR17.0004/02

DE/TPS/QAR17.0004/03



IECEx Certificate of Conformity

Certificate No.: **IECEx TPS 17.0002X**

Page 3 of 5

Date of issue: 2020-11-19

Issue No: 1

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

The explosion-proof light is composed of a light body, a back cover, an adjustable stand, a high boron silicon tempered glass lens, a pressing cover, an explosion proof switch assembly, a power control assembly, an LED, terminals. Explosion-proof type is Ex db eb mb IIC T8 Gb/ Ex tb IIIIC T85°C Db. The LED part and the switch assembly are protected by individual flameproof enclosures. The tempered glass and the shell are bonded by a bonding joint surface which width is more than 10mm. The power control assembly is encapsulated. The increased safety chamber is installed with a pre-certified terminal block and an encapsulated power control assembly. Lower case provided with cable entry, the user connection through the compression nut, retaining rings, seals cable entry into the interior of the apparatus, is applied by the compression nut 25N / M torque tightening.

SPECIFIC CONDITIONS OF USE: YES as shown below:

Flameproof joints are not intended to be repaired.

-20 °C ≤ Tamb ≤ 45 °C



IECEx Certificate of Conformity

Certificate No.: **IECEx TPS 17.0002X**

Page 4 of 5

Date of issue: 2020-11-19

Issue No: 1

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

- Change LED module
- Modification of LED driver circuit
- Change model name
- Change power rating
- Change T rating
- Remove "op is" rating
- Standard version upgrade



IECEx Certificate of Conformity

Certificate No.: **IECEx TPS 17.0002X**

Page 5 of 5

Date of issue: 2020-11-19

Issue No: 1

Additional information:

Routine test

1. Applied 1500V ac between the terminals and housing maintained for 1 min without dielectric breakdown occurring according to clause 7.1 of IEC 60079-7:2015 +A1:2017 and clause 9.2 of IEC 60079-18:2014+A1:2017
2. Visual inspection according to clause 9.1 of IEC 60079-18:2014

Warning label

DO NOT OPEN WHEN AN EXPLOSIVE ATMOSPHERE IS PRESENT!

IECEX quality assessment report covering entire
EX PROOF range





IECEX Quality Assessment Report Summary

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEX Scheme visit www.iecex.com

QAR Ref. No.: **DE/TPS/QAR17.0004/06** Page 1 of 1
QAR Free Ref. No.: **64.197.17.00595.07** Status: **Issued**
Details of change: **Re-certification audit** Date of issue: **2023-02-22**
Site(s) audited: **Scangrip A/S** Valid until: **2026-02-22**
Rytherhaven 9 Audit date: **2023-02-22**
5700 Svendborg
Denmark

Issuing ExCB: **TPS - TÜV SÜD Product Service GmbH**

Manufacturer: **Scangrip A/S**
Rytherhaven 9 5700 Svendburg

Location of
Manufacturer: **Denmark**

Product information: **Ex-LED light**

Protection concept: **Ex "d", "e", "I", "m", "l"**

Related QARs:

DE/TPS/QAR17.0004/00
DE/TPS/QAR17.0004/03

DE/TPS/QAR17.0004/01
DE/TPS/QAR17.0004/04

DE/TPS/QAR17.0004/02
DE/TPS/QAR17.0004/05

Related Certificates (manual insertion):

Related Certificates (automatic linking):

Related Certificates for
previous versions:

IECEX TPS 17.0001X issue: 0
IECEX TPS 17.0002X issue: 1
IECEX TPS 17.0003X issue: 2

IECEX TPS 17.0001X issue: 1
IECEX TPS 17.0003X issue: 0
IECEX TPS 18.0017X issue: 0

IECEX TPS 17.0002X issue: 0
IECEX TPS 17.0003X issue: 1
IECEX TPS 18.0018X issue: 0

Comments: **Re-certification audit**

ATEX quality assurance notification covering the
entire EX PROOF range



NOTIFICATION

PRODUCTION QUALITY ASSURANCE NOTIFICATION

- [1] **Equipment or Protective System or Component intended for use in potentially explosive atmospheres Directive 2014/34/EU**



- [3] Notification number:

TPS 17 ATEX Q 54006 0008 Rev. 04

- [4] Equipment or Component as listed: see schedule

Protection concepts: see schedule

- [5] Manufacturer: Scangrip A/S
Rytterhaven 9 5700 Svendborg, Denmark



- [6] Site(s) audited: Scangrip A/S
Rytterhaven 9 5700 Svendborg, Denmark

- [7] TÜV SÜD Product Service GmbH, notified body no. 0123 in accordance with Article 18 of the Council Directive 2014/34/EU of 26 February 2014, notifies that the manufacturer has a production quality system which complies to Annex IV and VII of the Directive.

- [8] This notification is based on the confidential audit with report no. 64.197.17.00594.07.

This notification can be withdrawn if the manufacturer no longer satisfies with the requirement of Annex IV.

Results of periodical re-assessment of the quality system are a part of this notification.

- [9] This notification is valid until 14.01.2026 and can be withdrawn if the manufacturer does not satisfy the production quality assurance surveillance.

- [10] According to Article 16 paragraph 3 of the Directive 2014/34/EU the CE marking shall be followed by the identification no. 0123 identifying the notified body involved in the production control stage.

Certification Body

München, 21.02.2023

Ing. Frank Zhu, MSc.



Page 1 / 2

Certificates without signature shall not be valid. The Certificates may only be circulated in full including its schedule(s). Extracts or alterations are subject to approval by TÜV SÜD Product Service GmbH. In case of dispute, the German text shall prevail. The document is administrated under the following number: EX2A 054006 0012 Rev. 02

Doc. Name: Tuv-E#896-TPS-Q99-N-Fov. 01

TÜV SÜD Product Service GmbH • Certification Body • Rüdigerstraße 65 • 80339 München • Germany

CE Declaration of conformity





EU Declaration of Conformity

Year in which CE Mark was first affixed: 2020

We, Scangrip A/S

Rytterhaven 9
5700 Svendborg
Denmark
Phone no. +45 6320 6320

Declare under our sole responsibility for the product:

Product Range:	BRAND: SCANGRIP NAME: NOVA-EX EQUIPMENT: Explosion Proof - AC Work Light, Class I MARKING: II 2G Ex db eb mb IIC T6 Gb II 2D EX tb IIIC T85°C Db Operating Voltage: 100-240V AC 50/60Hz Power Consumption: 35W Specifications: Main light 1700/3400lm, IP65, Operating temp range -20° +45° C
Product Code:	03.5619

The designated product is in conformity with the essential requirements of the following European Directives and harmonized standards:

Equipment for explosive atmospheres (ATEX) Directive 2014/34/EU EN IEC 60079-0:2018 EN 60079-1:2014 EN 60079-7:2015/A1:2018 EN 60079-18:2015/A1:2017 EN 60079-31:2014

Low voltage (LVD) Directive 2014/35/EU EN 60598-1:2021
--

Have been subjected to the EU type examination certificate:

We declare under our sole responsibility that the following products fulfill the relevant directives:
ATEX directive 2014/34/EU. The type examination certificate is issued by TÜV Italia SRL, NB 0948, certificate No. TÜV IT 16 ATEX 082 X Rev.1


The manufacture is according to a certificated production quality assurance system.
The QAN certificate is issued by TÜV SÜD Product Service GmbH, NB 0123.



The quality management system ISO 9001:2015 is certified:
Bureau Veritas, Certificate Nr. DK014205

This declaration of conformity is issued under our sole responsibility.

Date: 30.01.2023


Jasar Elezaj
Quality Manager & Ex-protection representative

ATEX Ex Marking:

Ex symbol explanation

SYMBOL	MEANING
	The symbol reported complies with annex X of the directive 2014/34/EU and identify that the product meets the essential Health and Safety Requirement of the directive
	Specific symbol of ATEX directive 2014/34/EU, given in the Annex II of the directive
II	Group of the equipment. Group II refers to equipment for use in an explosive gas & dust atmosphere other than mines susceptible to firedamp
2	Category of the equipment subjected of certification, category 2
G	Presence of potentially explosive atmospheres of gas, vapours, mist
D	Presence of potentially explosive atmospheres of dusts and flyings
Ex db eb mb	Type of protection where the parts that can ignite an explosive gas atmosphere are placed in an enclosure that can withstand the pressure developed during an internal explosion of an explosive mixture and can prevent the transmission of the explosion to the outside ambience
EX tb	Type of protection for explosive dust atmospheres where electrical equipment is provided with an enclosure providing dust ingress protection and a means to limit surface temperature
IIC	Group of gas for which the equipment is suitable
IIIC	Group of dust for which the equipment is suitable
T6	classification system of Ex Equipment, based on its maximum surface temperature, related to the specific explosive gas atmosphere for which it is intended to be used
T85°C	The limit for maximum surface temperature where a equipment is installed in explosion atmospheres dust
Gb	equipment for explosive gas atmospheres, having a "high" Level of Protection, which is not a source of ignition in normal operation or during expected malfunctions
Db	equipment for explosive dust atmospheres, having a "high" Level of Protection, which is not a source of ignition in normal operation or during expected malfunctions
Cert.N0.xxxxx	EU -type examination number issued by the Notified Body involved in verification of Annex III of directive 2014/34/EU. Certificate number issued by the Certified Body involved in verification according to IECEx scheme 02

SCANGRIP.COM



DESIGNED BY
SCANGRIP
IN DENMARK



V 4/03.2023/CXQ

// SCANGRIP A/S Rytterhaven 9 DK-5700 DENMARK