



Product Service

# CERTIFICATE

No. Z1 001415 0038 Rev. 00

**Holder of Certificate:** **GIERRE S.R.L.**  
Via I Maggio 1/6  
23854 Olginate (LC)  
ITALY

**Certification Mark:**



**Product:** **Multi-purpose ladders  
(Telescopic Hinge Joint Ladders)**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** MES1602068A00TR

**Valid until:** 2025-10-20

**Date,** 2020-10-30

( GIANPAOLO MENSA )

# CERTIFICATE

No. Z1 001415 0038 Rev. 00

## Model(s):

Series 5 : AL010-2(Derivative codes: AL010H, AL010HW, 7516-151, AL010P, AL010DX); AL020-2(Derivative codes: AL020SK, AL020H, AL020HW, 7516-031, AL020P, AL020DX, AL020SKY, AL020IPS, AL020I, AL020GA, AL020DXT); AL030-2(Derivative codes: AL030P, AL030DX, AL030I); AL040-2(Derivative codes: AL040H, AL040HW, 7520-151, AL040P, AL040DX, AL040GA, AL040IPS, AL040I, AL040DXT); AL060-2(Derivative codes: AL060HW, 7524-151, 7524-157, AL060H, AL060P, AL060DX, AL060IPS, AL060HW, AL060GA.).

Series 7 : AL065; AL070; AL075.

## Series 5

Product code	Derivative code	Type	Uprights section [mm]	Rung/step external section [mm]	Rung/Step internal Section [mm]	Max Load each rung/step [Kg]
AL010-2	AL010H, AL010HW, 7516-151, AL010P, AL010DX	3+3	60x22	30x30	27x27	150
AL020-2	AL020SK, AL020H, AL020HW, 7516-031, AL020P, AL020DX, AL020SKY, AL020IPS, AL020I, AL020GA, AL020DXT	4+4	60x22	30x30	27x27	150
AL030-2	AL030P, AL030DX, AL030I	4+5	60x22	30x30	27x27	150
AL040-2	AL040H, AL040HW, 7520-151, AL040P, AL040DX, AL040GA, AL040IPS, AL040I, AL040DXT	5+5	60x22	30x30	27x27	150
AL060-2	AL060HW, 7524-151, 7524-157, AL060H, AL060P, AL060DX, AL060GA, AL060IPS	6+6	60x22	30x30	27x27	150

# CERTIFICATE

No. Z1 001415 0038 Rev. 00

## Series 7

Product code	Derivative code	Type	Uprights section [mm]	Rung/step external section [mm]	Rung/step internal section [mm]	Max Load each rung/step [Kg]
AL065	/	4+4	73x26	30x30	27x27	150
AL070	/	5+5	73x26	30x30	27x27	150
AL075	/	6+6	73x26	30x30	27x27	150

Type: 3+3, 4+4, 4+5, 5+5, 6+6  
 Uprights section large elements [mm] : 60x22, 73x26  
 Rung/Step internal section [mm]: 27x27  
 Rung/Step external section [mm]: 30x30  
 Minimum Thickness Stile [mm]: 1,25  
 Max Load for each rung/step: 150 [Kg]

Material: Extruded and Electro-welded aluminium alloy EN-AW-6063.

**Tested according to:** French Decree 96-333:1996  
 EN 131-1:2019  
 EN 131-2:2010/A2:2017  
 EN 131-3:2018  
 EN 131-4:2020  
 EK5/AK1 17-04.2:2020

**Production Facility(ies):** 001415