



Product Service

CERTIFICATE

No. Z1 001415 0043 Rev. 00

Holder of Certificate: **GIERRE S.R.L.**

Via I Maggio 1/6
23854 Olginate (LC)
ITALY

Certification Mark:



Product: **Multi-purpose ladders
(Combination ladders)**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: MES2020142A00TR

Valid until: 2027-12-14

Date, 2023-03-10

(Andrea Rotundo)

CERTIFICATE

No. Z1 001415 0043 Rev. 00

Model(s):

Model: AL300, AL305 (Derivates code: AL305H, AL305P, AL305QF, AL305SK, 1414-601), AL310 (Derivates code: AL310H, AL310P, 1416-601, 1416-651) AL315 (Derivates code: AL315P, AL315SK), AL320 (Derivates code: AL320QF), AL340, AL350, AL400, AL405 (Derivates code: AL405H, AL405QF, AL405SK, 1021-601, 1021-651), AL410 (Derivate code: AL410H, AL410SK, 1024-601, 1024-651), AL415 (Derivate code: AL415H, AL415QF, AL415SK, 1027-601, 1027-651), AL420, AL435 (Derivate code: AL435H, 1033-601, 1033-651), AL445, AL450.

Parameters:

Product code	Derivative code	Type	Section_large elements (mm)	Rung/step section	Max Load each rung/step [Kg]
AL300	/	2x6	60x22	25x25	150
AL305	AL305H AL305P AL305QF AL305SK 1414-601	2x7	60x22	25x25	150
AL310	AL310H AL310P 1416-601 1416-651	2x8	60x22	25x25	150
AL315	AL315P AL315SK	2x9	60x22	25x25	150
AL320	AL320QF	2x10	60x22	25x25	150
AL340	/	2x12	84x22	25x25	150
AL350	/	2x14	84x22	25x25	150
AL400	/	3x6	60x22	25x25	150
AL405	AL405H AL405QF AL405SK 1021-601 1021-651	3x7	60x22	25x25	150
AL410	AL410H AL410SK 1024-601 1024-651	3x8	60x22	25x25	150

CERTIFICATE

No. Z1 001415 0043 Rev. 00

Product code	Derivative code	Type	Section_large elements (mm)	Rung/step section	Max Load each rung/step [Kg]
AL415	AL415H AL415QF AL415SK 1027-601 1027-651	3x9	60x22	25x25	150
AL420	/	3x10	73x22	25x25	150
AL435	AL435H 1033-601 1033-651	3x11	73x22	25x25	150
AL445	/	3x12	84x22	25x25	150
AL450	/	3x14	84x22	25x25	150

Material : Electrowelded or extruded aluminum

Tested according to: EN 131-1:2019
EN 131-2:2010/A2:2017
EN 131-3:2018
French Decree 96-333:1996
EK5/AK1 15-03:2015